

## ZHEJIANG CFMOTO POWER CO., LTD.

No. 116, Wuzhou Road, Yuhang Economic Development Zone Hangzhou 311100,  
Zhejiang Province.

Tel: 86-571-89265799

Email: [export@cfmoto.com](mailto:export@cfmoto.com)

[Global.cfmoto.com](http://Global.cfmoto.com)

Instagram: [cfmoto\\_world](https://www.instagram.com/cfmoto_world)

Facebook: [CFMOTO\\_Official](https://www.facebook.com/CFMOTO_Official)

Twitter: [CFMOTO\\_Official](https://twitter.com/CFMOTO_Official)

YouTube: [CFMOTO](https://www.youtube.com/CFMOTO)

DESIGN OCTOBER 2020

Copyright Zhejiang CFMOTO Power co., Ltd. 2019. All rights reserved. Vehicle specifications are subject to change without notice. Imagery may not reflect most current product specifications. CFMOTO reserves the right to make improvements and/or design changes without any obligation to modify previously sold, assembled or fabricated equipment.



# CFORCE 525 / 625 TOURING

The highlight in the full lineup of CFMOTO versatile ATVs



# THE RUGGED BEYOND

---

Inside our hearts lies an intrinsic yearning for freedom, a desire to pursue the rugged beyond. Maybe the best thing about hunting, fishing, camping or even working is just getting there, especially when you saddle on an all-new CFORCE. The CFORCE 625 / 625 TOURING highlights the full lineup of versatile ATVs. With next-generation chassis and styling, this exciting machine is getting plenty of attention. The all-new 625 comes in either a one or two-up version.

CFORCE 625 / 625 TOURING



## CFORCE 625 / 625 TOURING



### ALL-NEW ENGINE

The CFORCE 625 / 625 TOURING is powered by an all-new 580cc, four-stroke, four-valve, EFI, liquid-cooled engine, built upon more than 2 decades of continuous innovation of liquid-cooled technology from CFMOTO. Powerful torque with 30kW output is put to work by the CVTech Transmission and centrifugal clutch. With quick and responsive engagement, the CFORCE 625 / 625 TOURING produces smooth acceleration—from 0-50m in only 4.5 seconds. High- and low-range options along with reverse allow the CFORCE 625 / 625 TOURING to make traction over a variety of terrain, from deserts to mountains, with responsive power and steady control.



### DIGITAL GAUGE

A high-definition LCD screen offers a clear view from the cockpit even at various angles. Monitor 12 engine vitals at a glance with the highly visible display, featuring new functions like Bluetooth call indicator. Stay plugged into the outside world while you're out on the trail, or, of course, feel free to unplug and enjoy nature!

### RIDER PROTECTION

Full-coverage floor boards and gripper foot pegs ensure optimum rider control, while also providing protection from debris on the trail. Passengers can ride in comfort with their own stepped footrests. Rugged wrap-around hand guards ensure added protection from the elements, keeping hands and rider controls protected from branches and brush.

### 2WD/4WD CAPABILITY

Change from 2WD to 4WD on the fly to suit varying conditions. Choose your power mode and then choose your adventure aboard the CFORCE 625 / 625 TOURING.

### EPS SYSTEM

The intelligent speed-sensitive EPS [Electronic Power Steering] system automatically responds to vehicle speed and provides precise steering aid to the rider. At low speed, steering remains light and effortless, making it easy to maneuver in tight areas. At higher speeds, steering is responsive and stable, enhancing rider confidence when tackling difficult terrain and trail obstacles. The ability to make effortless quick maneuvers, such as dodging an unexpected object in its path, helps to further improve safety.



### LOAD CAPACITY

The CFORCE 625 / 625 TOURING has the rugged capability to handle off-road excursions with a standard 3,000-pound electric winch and a hitch receiver with 500kg of towing capacity (300kg on road). New front and rear rack design holds up to 20kg in front and 40kg in rear. Designed to secure your cargo and attachments more easily. Transport the tools, materials, equipment and gear you need for your ultimate trail adventure.

### INDEPENDENT SUSPENSION

Revised suspension features independent front and rear A-arms with preload-adjustable shock absorbers with 160mm wheel travel up front, and 210mm in the rear. Together with 270mm of ground clearance, the CFORCE 625 / 625 TOURING is ready to conquer technical terrain, steep slopes and trail obstacles with ease. Tune the shocks for advanced performance in varying conditions with 5-way spring-preload adjustability, allowing the suspension to soak up the bumps in even the roughest terrain. With less impact transferred to the body, you can ride in more comfort than ever before; let the CFORCE 625 / 625 TOURING do the work while you focus on the trail and enjoy the smooth ride.

## SPLIT SEAT

The thick cushioned seat provides a comfortable ride, with a split seat also offering a plush ride for a passenger. The ergonomically formed seat offers optimum security and protection for riders and passengers, while also ensuring an all-day comfortable ride allowing you to fully enjoy the adventure.

## LED LIGHTS

Pierce the night with the sharp, clear focus of LED headlights. EC and DOT certified, the LED headlights and dual tail lights give a modern, aggressive look to the CFORCE 625 / 625 TOURING, and allow you to venture beyond the sunset with confidence.

# TECHNICAL DATA



## 4-WHEEL DISC BRAKES

The upgraded four-wheel disc-brake system of the CFORCE 625 / 625 TOURING provides strong and aggressive stopping power. Progressive braking offers smooth control on steep or tricky descents, and shortens your stopping distance for enhanced safety. Ride with confident control even on rainy days, or on muddy, slippery roads.

## Overall Dimensions

Length x Width x Height	2035x1180x1220 mm	T: 2235x1180x1390 mm
Wheelbase	1280 mm	T: 1480 mm
Seat Height	530 mm	
Minimum Ground Clearance	270 mm	
Minimum Turning Diameter	7.25 m	T: 7,4 m
Curb Weight	395 kg	T: 400 kg
Payload Capacity	230 kg	
Fuel Capacity	18 L	

## Engine

Engine Type	Single-cylinder, Liquid cooled, 4-stroke, SOHC, 4-Valve
Displacement	580 cc
Transmission	CVT

## Chassis

Drive	Switchable 2WD/4WD
Brake	Four-wheel side brake (CBS) + rear wheel side parking
Suspension	Front/Rear: Double A-arm, independent suspension
Shock Absorber	Front/Rear: Coil spring + oil damping
Wheels	Front: 12x6.0 AT      Rear: 12x7.5 AT
Tires	Front: AT 25x8,0      Rear: AT 25x10,0-12



Lava Orange



Pearl Injected Blue



Titanium Gray



Truetimber Camo

CFORCE 625 / 625 TOURING